

Drug Name	Drug Brand Name	Drug Class	Dose Age < 13	Dose Age 13-17	Dose Age >= 18	Dose Decision Source C/A	Dose Decision Source Adults	CM Risk Youth	CM Risk Adults
Alprazolam	Niravam, Xanax	Anxiolytic	4	4	4	TEXT	PDR MAX		
Amitriptyline Hcl	Elavil, Endep, Enovil, Vanatrip	Antidepressant	50	50	150	FDA (Y)	PDR MAX OUTPATIENT		
Amoxapine	Asendin	Antidepressant	400	400	400	FDA (A)	PDR MAX OUTPATIENT		
Amphetamine-Dextroamphetamine	Adderall	ADHD Med	40	40	60	FDA (Y)	PDR MAX		
Amphetamine-Dextroamphetamine XR	Adderall Xr	ADHD Med	30	30	60	FDA (Y)	PDR MAX		
Aripiprazole	Abilify	Antipsychotic	15	30	30	FDA (Y)	PORT RANGE	Lower	Lower
Armodafinil	Nuvigil	ADHD Med	250	250	250	FDA (A)	PDR RANGE		
Asenapine Maleate	Saphris	Antipsychotic	20	20	20	FDA (A)	PORT	Not included	Not included
Atomoxetine Hcl	Strattera	ADHD Med	56	100	100	FDA (Y) - W	PDR MAX		
BuPROPion HBr	Aplenzin	Antidepressant	278	522	522	FDA (A)-W	PDR MAX		
Bupropion Hcl	Bupropion Hcl, Wellbutrin XI	Antidepressant	450	450	450	TEXAS	PDR MAX		
Bupropion Hcl	Wellbutrin, Budeprion Sr	Antidepressant	240	400	400	TEXAS-W	PDR MAX		
Bupropion Hcl (Smoking Deter)	Zyban, Buproban	Antidepressant	300	300	300	FDA (A)	PDR MAX		
Buspironone Hcl	Buspar, Vanspar	Anxiolytic	60	60	60	TEXT	PDR MAX		

KEY

FDA (A): FDA recommended maximum dose for adults
 FDA (A)-W: FDA weight-based maximum dose for adults
 FDA (Y): FDA recommended maximum dose for youth
 FDA (Y)-W: FDA weight-based recommended dose
 PDR: PDR maximum dose
 PDR MAX: PDR maximum dose
 PDR MAX OUTPATIENT: PDR maximum dose for outpatient

PDR RANGE: Upper bound of PDR range
 PDR RECOMMENDED: PDR recommended dose
 PORT: PORT maximum dose
 PORT ACUTE: PORT maximum acute dose
 PORT RANGE: Upper bound of PORT range
 TEXAS: Psychotropic Medication Utilization Parameters for Texas Foster Care
 TEXT: Textbook
 TEXT-W: Textbook weight-based recommended dose

Drug Name	Drug Brand Name	Drug Class	Dose Age < 13	Dose Age 13-17	Dose Age >= 18	Dose Decision Source C/A	Dose Decision Source Adults	CM Risk Youth	CM Risk Adults
Carbamazepine	Atretol, Carbatrol, Epitol, Tegretol, Tegretol Xr	Mood Stabilizer	800	1000	1200	FDA (Y)	PDR MAX		
Chloral Hydrate	Aquachloral, Noctec, Somnote	Anxiolytic	1500	1500	2000	FDA (Y)	PDR MAX		
Chlordiazepoxide Hcl	Calmium, Chlordiazep, H-Tran, Librium, Lipoxide, Spaz-5, Mitran	Anxiolytic	30	30	100	FDA (Y)	PDR MAX		
Chlordiazepoxide-Amitriptyline	Limbitrol	Anxiolytic	60-148	60-149	60-150	FDA (A)	PDR MAX		
Chlordiazepoxide-Methscopol	Librax	Anxiolytic	40-20	40-20	40-20	FDA (A)	PDR MAX		
Chlorpromazine Hcl	Thorazine, Chlorpromaz, Ormazine	Antipsychotic	500	800	1000	FDA (Y)	PORT ACUTE	Higher	Higher
Citalopram Hydrobromide	Celexa	Antidepressant	40	40	60	TEXAS	PDR RANGE		
Clomipramine Hcl	Anafranil	Antidepressant	200	200	250	FDA (Y)	PDR Max		
Clonazepam	Ceberclon, Klonopin	Anxiolytic	3	3	4	TEXT	PDR MAX		
Clonidine Hcl	Catapres	ADHD Med	0.4	0.4	NR	TEXAS	PDR MAX		
Clonidine Hcl	Kapvay	ADHD Med	0.4	0.4	0.4	TEXAS	PDR MAX		
CloNIDine HCl (Analgesia)	Catapres	ADHD Med	0.4	0.4	NR	TEXAS	PDR MAX		

KEY

FDA (A): FDA recommended maximum dose for adults
 FDA (A)-W: FDA weight-based maximum dose for adults
 FDA (Y): FDA recommended maximum dose for youth
 FDA (Y)-W: FDA weight-based recommended dose
 PDR: PDR maximum dose
 PDR MAX: PDR maximum dose
 PDR MAX OUTPATIENT: PDR maximum dose for outpatient

PDR RANGE: Upper bound of PDR range
 PDR RECOMMENDED: PDR recommended dose
 PORT: PORT maximum dose
 PORT ACUTE: PORT maximum acute dose
 PORT RANGE: Upper bound of PORT range
 TEXAS: Psychotropic Medication Utilization Parameters for Texas Foster Care
 TEXT: Textbook
 TEXT-W: Textbook weight-based recommended dose

Drug Name	Drug Brand Name	Drug Class	Dose Age < 13	Dose Age 13-17	Dose Age >= 18	Dose Decision Source C/A	Dose Decision Source Adults	CM Risk Youth	CM Risk Adults
Clorazepate Dipotassium	Gen-Xene, Tranxene Sd, Tranxene-T	Anxiolytic	60	60	60	FDA (A)	PDR Max		
Clozapine	Clozaril, Fazaclo	Antipsychotic	300	600	800	TEXAS	PORT ACUTE	Not included	Not included
Desipramine Hcl	Norpramin, Thsc Desipramine Hcl	Antidepressant	150	150	300	FDA (Y)	PDR Max		
Desvenlafaxine Succinate	Pristiq	Antidepressant	400	400	400	FDA (A)	PDR RANGE		
Dexmethylphenidate Hcl	Focalin	ADHD Med	20	20	20	FDA (Y)	PDR Max		
Dexmethylphenidate Hcl (Focalin XR)	Focalin Xr	ADHD Med	30	30	40	FDA (Y)	PDR Max		
Dextroamphetamine Sulfate	Das, Dexedrine, Dextrostat, Liquadd, Procentra	ADHD Med	40	40	60	FDA (Y)	PDR Max		
Diazepam	D-Val, Di-Tran, Diastat, Valium, Valrelease, Zetran	Anxiolytic	10	10	40	FDA (Y)	PDR RANGE		
Divalproex Sodium	Depakote	Mood Stabilizer	2400	4200	4200	FDA (Y)-W	PDR MAX		

KEY

FDA (A): FDA recommended maximum dose for adults
 FDA (A)-W: FDA weight-based maximum dose for adults
 FDA (Y): FDA recommended maximum dose for youth
 FDA (Y)-W: FDA weight-based recommended dose
 PDR: PDR maximum dose
 PDR MAX: PDR maximum dose
 PDR MAX OUTPATIENT: PDR maximum dose for outpatient

PDR RANGE: Upper bound of PDR range
 PDR RECOMMENDED: PDR recommended dose
 PORT: PORT maximum dose
 PORT ACUTE: PORT maximum acute dose
 PORT RANGE: Upper bound of PORT range
 TEXAS: Psychotropic Medication Utilization Parameters for Texas Foster Care
 TEXT: Textbook
 TEXT-W: Textbook weight-based recommended dose

Drug Name	Drug Brand Name	Drug Class	Dose Age < 13	Dose Age 13-17	Dose Age >= 18	Dose Decision Source C/A	Dose Decision Source Adults	CM Risk Youth	CM Risk Adults
Doxepin Hcl	Prudoxin, Zonalon, Adapin, Sinequan	Antidepressant	300	300	300	FDA (A)	PDR RANGE		
Duloxetine Hcl	Cymbalta	Antidepressant	120	120	120	FDA (A)	PDR MAX		
Escitalopram Oxalate	Lexapro	Antidepressant	20	20	20	FDA (Y)	PDR MAX		
Estazolam	Prosom	Anxiolytic	2	2	2	FDA (A)	PDR MAX		
Eszopiclone	Lunesta	Anxiolytic	3	3	3	FDA (A)	PDR MAX		
Fluoxetine Hcl	Prozac, Rapiflux	Antidepressant	60	60	80	FDA (Y)	PDR MAX		
FLUoxetine HCl (PMDD)	Sarafem, Selfemra	Antidepressant	60	60	80	FDA (Y)	PDR MAX		
Fluphenazine Hcl	Permitil, Prolixin	Antipsychotic	10	10	20	TEXT	PORT	Higher	Lower
Flurazepam Hcl	Dalmane, Flurazepam	Anxiolytic	30	30	30	FDA (A)	PDR RANGE		
Fluvoxamine Maleate	Luvox	Antidepressant	300	300	300	FDA (A)	PDR MAX		
Gabapentin	Gabarone, Neurontin	Mood Stabilizer	1200	3600	3600	TEXT	PDR MAX		
Guanfacine Hcl	Intuniv, Tenex	ADHD Med	4	4	NR	FDA(A)			
Guanfacine Hcl	Intuniv, Tenex	ADHD Med	4	4	4	FDA (Y)	FDA(Y)		
Haloperidol	Haldol	Antipsychotic	6	10.5	20	FDA (Y)-W/TEXAS-W	PORT ACUTE	Higher	Lower

KEY

FDA (A): FDA recommended maximum dose for adults
 FDA (A)-W: FDA weight-based maximum dose for adults
 FDA (Y): FDA recommended maximum dose for youth
 FDA (Y)-W: FDA weight-based recommended dose
 PDR: PDR maximum dose
 PDR MAX: PDR maximum dose
 PDR MAX OUTPATIENT: PDR maximum dose for outpatient

PDR RANGE: Upper bound of PDR range
 PDR RECOMMENDED: PDR recommended dose
 PORT: PORT maximum dose
 PORT ACUTE: PORT maximum acute dose
 PORT RANGE: Upper bound of PORT range
 TEXAS: Psychotropic Medication Utilization Parameters for Texas Foster Care
 TEXT: Textbook
 TEXT-W: Textbook weight-based recommended dose

Drug Name	Drug Brand Name	Drug Class	Dose Age < 13	Dose Age 13-17	Dose Age >= 18	Dose Decision Source C/A	Dose Decision Source Adults	CM Risk Youth	CM Risk Adults
Hydroxyzine Hcl	Atarax, Atazine, Neucalm, Qys, Rezine, Vistacon, Vistacot, Vistaject, Vistaril	Anxiolytic	100	100	400	FDA (Y)	PDR MAX		
lloperidone	Fanapt	Antipsychotic	24	24	24	FDA (A)	PORT	Not included	Not included
Imipramine Hcl	Tofranil	Antidepressant	100	100	200	FDA (Y)	PDR MAX OUTPATIENT		
Isocarboxazid	Marplan	Antidepressant	60	60	60	FDA (A)	PDR MAX		
Lamotrigine	Lamictal	Mood Stabilizer	300	300	400	TEXT	PDR RANGE		
Lisdexamfetamine Dimesylate	Vyvanse	ADHD Med	70	70	70	FDA (Y)	PDR MAX		
Lithium Carbonate	Eskalith, Lithobid, Lithonate	Mood Stabilizer	1200	1800	1800	FDA (Y)/TEXT-W	PDR MAX		
Lorazepam	Ativan, Lorazepam,	Anxiolytic	4	4	6	FDA (Y)/TEXT	PDR MAX		
Loxapine	Loxitane	Antipsychotic	100	100	100	FDA (A)	PORT ACUTE	Higher	Lower
Lurasidone	Latuda	Antipsychotic	80	80	80	FDA (A)	PDR	Not included	Not included
Maprotiline Hcl	Ludiomil	Antidepressant	150	150	150	FDA (A)	PDR MAX OUTPATIENT		
Meprobamate	Equanil, Miltown, Meprospan	Anxiolytic	1800	1800	2400	FDA (Y)	PDR MAX		

KEY

FDA (A): FDA recommended maximum dose for adults
 FDA (A)-W: FDA weight-based maximum dose for adults
 FDA (Y): FDA recommended maximum dose for youth
 FDA (Y)-W: FDA weight-based recommended dose
 PDR: PDR maximum dose
 PDR MAX: PDR maximum dose
 PDR MAX OUTPATIENT: PDR maximum dose for outpatient

PDR RANGE: Upper bound of PDR range
 PDR RECOMMENDED: PDR recommended dose
 PORT: PORT maximum dose
 PORT ACUTE: PORT maximum acute dose
 PORT RANGE: Upper bound of PORT range
 TEXAS: Psychotropic Medication Utilization Parameters for Texas Foster Care
 TEXT: Textbook
 TEXT-W: Textbook weight-based recommended dose

Drug Name	Drug Brand Name	Drug Class	Dose Age < 13	Dose Age 13-17	Dose Age >= 18	Dose Decision Source C/A	Dose Decision Source Adults	CM Risk Youth	CM Risk Adults
Meprobamate-Aspirin	Equagesic, Micrainin	Anxiolytic	800-2600	800-2600	1600-2600	FDA (Y)	PDR MAX		
Methamphetamine Hcl	Desoxyn	ADHD Med	25	25	25	FDA (Y)	PDR RANGE		
Methylphenidate Hcl	Metadate Cd, Methylin, Ritalin	ADHD Med	60	60	60	FDA (Y)	PDR MAX		
Methylphenidate Hcl (Concerta)	Concerta	ADHD Med	54	72	72	FDA (Y)	PDR MAX		
Milnacipran	Savella	Antidepressant	200	200	200	FDA (A)	PDR MAX		
Mirtazapine	Remeron	Antidepressant	30	30	45	TEXT	PDR MAX		
Modafinil	Provigil	ADHD Med	400	400	400	FDA (A)	PDR RECOMMENDED		
Nefazodone Hcl	Serzone	Antidepressant	600	600	600	FDA (A)	PDR MAX		
Nortriptyline Hcl	Aventyl, Pamelor	Antidepressant	50	50	150	FDA (Y)	PDR MAX		
Olanzapine	Zyprexa	Antipsychotic	12.5	20	20	TEXAS/ FDA (Y)	PORT ACUTE	Higher	Higher
Olanzapine-Fluoxetine Hcl	Symbyax	Antipsychotic	12-50	12-50	12-50	FDA (A)	PDR	Higher	Higher
Oxazepam	Oxazepam, Serax	Anxiolytic	120	120	120	FDA (A)	PDR RANGE		
Oxcarbazepine	Trileptal	Mood Stabilizer	2100	2100	2400	TEXT	PDR MAX		
Paliperidone	Invega	Antipsychotic	15	15	15	FDA (A)	PORT	Higher	Lower
Paroxetine Hcl	Paxil	Antidepressant	40	40	60	TEXAS*	PDR MAX		
Paroxetine Hcl	Paxil Cr	Antidepressant	37.5	37.5	75	TEXAS*	PDR MAX		

* According to the Psychotropic Medication Utilization Parameters for Texas Foster Care, paroxetine is not recommended for children due to the risk of suicidality.

KEY

FDA (A): FDA recommended maximum dose for adults
 FDA (A)-W: FDA weight-based maximum dose for adults
 FDA (Y): FDA recommended maximum dose for youth
 FDA (Y)-W: FDA weight-based recommended dose
 PDR: PDR maximum dose
 PDR MAX: PDR maximum dose
 PDR MAX OUTPATIENT: PDR maximum dose for outpatient

PDR RANGE: Upper bound of PDR range
 PDR RECOMMENDED: PDR recommended dose
 PORT: PORT maximum dose
 PORT ACUTE: PORT maximum acute dose
 PORT RANGE: Upper bound of PORT range
 TEXAS: Psychotropic Medication Utilization Parameters for Texas Foster Care
 TEXT: Textbook
 TEXT-W: Textbook weight-based recommended dose

Drug Name	Drug Brand Name	Drug Class	Dose Age < 13	Dose Age 13-17	Dose Age >= 18	Dose Decision Source C/A	Dose Decision Source Adults	CM Risk Youth	CM Risk Adults
Perphenazine	Amitriptyline, Trilafon	Antipsychotic	6	64	64	FDA (Y)/ TEXAS	PORT ACUTE	Higher	Lower
Perphenazine-Amitriptyline	Duo-Vil, Etrafon, Triavil	Antipsychotic	16-200	16-200	16-200	FDA (A)	PORT ACUTE	Higher	Lower
Phenelzine Sulfate	Nardil	Antidepressant	90	90	90	FDA (A)	PDR RANGE		
Phenobarbital	Aspirbar, Solfoton	Anxiolytic	240	400	400	FDA (Y)-W	PDR MAX		
Phenobarbital-Belladonna Alk	Atrotal, Barbidonna, Barophen, Bellalphen, Bellatal, Donnaphen, Donnapipe, Donnatal, Haponal, Hyonatal, Hyoscamine, Malatal, Phenobel, Setamine, Spasmolin, Spastemms, Spastolate	Anxiolytic	240	400	400	FDA (Y)-W	PDR MAX		

KEY

FDA (A): FDA recommended maximum dose for adults
 FDA (A)-W: FDA weight-based maximum dose for adults
 FDA (Y): FDA recommended maximum dose for youth
 FDA (Y)-W: FDA weight-based recommended dose
 PDR: PDR maximum dose
 PDR MAX: PDR maximum dose
 PDR MAX OUTPATIENT: PDR maximum dose for outpatient

PDR RANGE: Upper bound of PDR range
 PDR RECOMMENDED: PDR recommended dose
 PORT: PORT maximum dose
 PORT ACUTE: PORT maximum acute dose
 PORT RANGE: Upper bound of PORT range
 TEXAS: Psychotropic Medication Utilization Parameters for Texas Foster Care
 TEXT: Textbook
 TEXT-W: Textbook weight-based recommended dose

Drug Name	Drug Brand Name	Drug Class	Dose Age < 13	Dose Age 13-17	Dose Age >= 18	Dose Decision Source C/A	Dose Decision Source Adults	CM Risk Youth	CM Risk Adults
Phentermine Hcl	Adipex, Atti-Plex, Fastin, Obe-Mar, Obenix, Obephen, Panshape M, Phentercot, Phentride, Zantryl	ADHD Med	37.5	37.5	37.5	FDA (A)	PDR RANGE		
Pimozide	Orap	Antipsychotic	10	10	10	FDA (Y)	PORT	Higher	Lower
Protriptyline Hcl	Vivactil	Antidepressant	60	60	60	FDA (A)	PDR MAX		
Quetiapine Fumarate	Seroquel	Antipsychotic	300	600	800	FDA (Y)/TEXAS	PORT	Higher	Higher
Quetiapine Fumarate	Seroquel XR	Antipsychotic	300	600	800	FDA (Y)/TEXAS	PORT	Higher	Higher
Ramelteon	Rozerem	Anxiolytic	8	8	8	FDA (A)	PDR MAX		
Risperidone	Risperdal	Antipsychotic	3	6	8	FDA (Y)	PORT ACUTE	Higher	Lower
Secobarbital Sodium	Lanabarb, Seconal	Anxiolytic	100	100	100	FDA (Y)	PDR MAX		
Selegiline	Emsam	Antidepressant	12	12	12	FDA (A)	PDR MAX		
Sertraline Hcl	Zoloft	Antidepressant	200	200	200	FDA (Y)	PDR MAX		
Temazepam	Temazepam	Anxiolytic	30	30	30	FDA (A)	PDR RANGE		
Thioridazine Hcl	Mellaril	Antipsychotic	120	210	800	FDA (Y)	PORT ACUTE	Higher	Higher
Thiothixene	Navane	Antipsychotic	20	20	50	TEXT	PORT ACUTE	Higher	Lower
Topiramate	Topamax, Topiragen	Mood Stabilizer	400	400	1600	TEXT	PDR MAX		
Tranlycypromine Sulfate	Parnate	Antidepressant	60	60	60	FDA (A)	PDR MAX		
Trazodone Hcl	Desyrel, Oleptro	Antidepressant	200	200	400	TEXT	PDR MAX OUTPATIENT		

KEY

FDA (A): FDA recommended maximum dose for adults
 FDA (A)-W: FDA weight-based maximum dose for adults
 FDA (Y): FDA recommended maximum dose for youth
 FDA (Y)-W: FDA weight-based recommended dose
 PDR: PDR maximum dose
 PDR MAX: PDR maximum dose
 PDR MAX OUTPATIENT: PDR maximum dose for outpatient

PDR RANGE: Upper bound of PDR range
 PDR RECOMMENDED: PDR recommended dose
 PORT: PORT maximum dose
 PORT ACUTE: PORT maximum acute dose
 PORT RANGE: Upper bound of PORT range
 TEXAS: Psychotropic Medication Utilization Parameters for Texas Foster Care
 TEXT: Textbook
 TEXT-W: Textbook weight-based recommended dose

Drug Name	Drug Brand Name	Drug Class	Dose Age < 13	Dose Age 13-17	Dose Age >= 18	Dose Decision Source C/A	Dose Decision Source Adults	CM Risk Youth	CM Risk Adults
Triazolam	Halcion	Anxiolytic	0.5	0.5	0.5	FDA (A)	PDR MAX		
Trimipramine Maleate	Surmontil	Antidepressant	100	100	200	FDA (Y)	PDR MAX		
Valproic Acid	Depakene, Stavzor	Mood Stabilizer	2400	4200	4200	FDA (Y)-W	PDR MAX		
Venlafaxine Hcl	Effexor	Antidepressant	120	210	375	TEXT	PDR MAX		
Venlafaxine Hcl (Effexor XR)	Effexor Xr	Antidepressant	120	210	375	TEXT	PDR MAX		
Zaleplon	Sonata	Anxiolytic	20	20	20	FDA (A)	PDR MAX		
Ziprasidone Hcl	Geodon	Antipsychotic	160	160	160	TEXAS	PORT ACUTE	Lower	Lower
Zolpidem Tartrate	Ambien, Edluar	Anxiolytic	10	10	10	FDA (A)	PDR RANGE		
Zolpidem Tartrate CR	Ambien Cr	Anxiolytic	12.5	12.5	12.5	FDA (A)	PDR RANGE		

KEY

FDA (A): FDA recommended maximum dose for adults
 FDA (A)-W: FDA weight-based maximum dose for adults
 FDA (Y): FDA recommended maximum dose for youth
 FDA (Y)-W: FDA weight-based recommended dose
 PDR: PDR maximum dose
 PDR MAX: PDR maximum dose
 PDR MAX OUTPATIENT: PDR maximum dose for outpatient

PDR RANGE: Upper bound of PDR range
 PDR RECOMMENDED: PDR recommended dose
 PORT: PORT maximum dose
 PORT ACUTE: PORT maximum acute dose
 PORT RANGE: Upper bound of PORT range
 TEXAS: Psychotropic Medication Utilization Parameters for Texas Foster Care
 TEXT: Textbook
 TEXT-W: Textbook weight-based recommended dose

Drug Class	Drug Name	Drug Brand Name	Dose Age < 13	Dose Age 13-17	Dose Age >= 18	Dose Decision Source C/A	Dose Decision Source Adults	CM Risk Youth	CM Risk Adults
Antipsychotic	Aripiprazole	Abilify	15	30	30	FDA (Y)	PORT RANGE	Lower	Lower
Antipsychotic	Asenapine Maleate	Saphris	20	20	20	FDA (A)	PORT	Not included	Not included
Antipsychotic	Chlorpromazine Hcl	Thorazine, Chlorpromaz, Ormazine	500	800	1000	FDA (Y)	PORT ACUTE	Higher	Higher
Antipsychotic	Clozapine	Clozaril, Fazaclo	300	600	800	TEXAS	PORT ACUTE	Not included	Not included
Antipsychotic	Fluphenazine Hcl	Permitil, Prolixin	10	10	20	TEXT	PORT	Higher	Lower
Antipsychotic	Haloperidol	Haldol	6	10.5	20	FDA (Y)-W/TEXAS-W	PORT ACUTE	Higher	Lower
Antipsychotic	lloperidone	Fanapt	24	24	24	FDA (A)	PORT	Not included	Not included
Antipsychotic	Loxapine	Loxitane	100	100	100	FDA (A)	PORT ACUTE	Higher	Lower
Antipsychotic	Lurasidone	Latuda	80	80	80	FDA (A)	PDR	Not included	Not included
Antipsychotic	Olanzapine	Zyprexa	12.5	20	20	TEXAS/ FDA(Y)	PORT ACUTE	Higher	Higher
Antipsychotic	Olanzapine-Fluoxetine Hcl	Symbyax	12-50	12-50	12-50	FDA (A)	PDR	Higher	Higher
Antipsychotic	Paliperidone	Invega	15	15	15	FDA (A)	PORT	Higher	Lower
Antipsychotic	Perphenazine	Amitriptyline, Trilafon	6	64	64	FDA (Y)/TEXAS	PORT ACUTE	Higher	Lower

KEY

FDA (A): FDA recommended maximum dose for adults
 FDA (A)-W: FDA weight-based maximum dose for adults
 FDA (Y): FDA recommended maximum dose for youth
 FDA (Y)-W: FDA weight-based recommended dose
 PDR: PDR maximum dose
 PDR MAX: PDR maximum dose
 PDR MAX OUTPATIENT: PDR maximum dose for outpatient

PDR RANGE: Upper bound of PDR range
 PDR RECOMMENDED: PDR recommended dose
 PORT: PORT maximum dose
 PORT ACUTE: PORT maximum acute dose
 PORT RANGE: Upper bound of PORT range
 TEXAS: Psychotropic Medication Utilization Parameters for Texas Foster Care
 TEXT: Textbook
 TEXT-W: Textbook weight-based recommended dose

Drug Class	Drug Name	Drug Brand Name	Dose Age < 13	Dose Age 13-17	Dose Age >= 18	Dose Decision Source C/A	Dose Decision Source Adults	CM Risk Youth	CM Risk Adults
Antipsychotic	Perphenazine-Amitriptyline	Duo-Vil, Etrafon, Triavil	16-200	16-200	16-200	FDA (A)	PORT ACUTE	Higher	Lower
Antipsychotic	Pimozide	Orap	10	10	10	FDA (Y)	PORT	Higher	Lower
Antipsychotic	Quetiapine Fumarate	Seroquel	300	600	800	FDA (Y)/TEXAS	PORT	Higher	Higher
Antipsychotic	Quetiapine Fumarate	Seroquel XR	300	600	800	FDA (Y)/TEXAS	PORT	Higher	Higher
Antipsychotic	Risperidone	Risperdal	3	6	8	FDA (Y)	PORT ACUTE	Higher	Lower
Antipsychotic	Thioridazine Hcl	Mellaril	120	210	800	FDA (Y)	PORT ACUTE	Higher	Higher
Antipsychotic	Thiothixene	Navane	20	20	50	TEXT	PORT ACUTE	Higher	Lower
Antipsychotic	Ziprasidone Hcl	Geodon	160	160	160	TEXAS	PORT ACUTE	Lower	Lower
Antidepressant	Amitriptyline Hcl	Elavil, Endep, Enovil, Vanatrip	50	50	150	FDA (Y)	PDR MAX OUTPATIENT		
Antidepressant	Amoxapine	Asendin	400	400	400	FDA (A)	PDR MAX OUTPATIENT		
Antidepressant	BuPROPion HBr	Aplenzin	278	522	522	FDA (A)-W	PDR MAX		
Antidepressant	Bupropion Hcl	Bupropion Hcl, Wellbutrin XI	450	450	450	TEXAS	PDR MAX		
Antidepressant	Bupropion Hcl	Wellbutrin, Budeprion Sr	240	400	400	TEXAS-W	PDR MAX		
Antidepressant	Bupropion Hcl (Smoking Deter)	Zyban, Buproban	300	300	300	FDA (A)	PDR MAX		

KEY

FDA (A): FDA recommended maximum dose for adults
 FDA (A)-W: FDA weight-based maximum dose for adults
 FDA (Y): FDA recommended maximum dose for youth
 FDA (Y)-W: FDA weight-based recommended dose
 PDR: PDR maximum dose
 PDR MAX: PDR maximum dose
 PDR MAX OUTPATIENT: PDR maximum dose for outpatient

PDR RANGE: Upper bound of PDR range
 PDR RECOMMENDED: PDR recommended dose
 PORT: PORT maximum dose
 PORT ACUTE: PORT maximum acute dose
 PORT RANGE: Upper bound of PORT range
 TEXAS: Psychotropic Medication Utilization Parameters for Texas Foster Care
 TEXT: Textbook
 TEXT-W: Textbook weight-based recommended dose

Drug Class	Drug Name	Drug Brand Name	Dose Age < 13	Dose Age 13-17	Dose Age >= 18	Dose Decision Source C/A	Dose Decision Source Adults	CM Risk Youth	CM Risk Adults
Antidepressant	Citalopram Hydrobromide	Celexa	40	40	60	TEXAS	PDR RANGE		
Antidepressant	Clomipramine Hcl	Anafranil	200	200	250	FDA (Y)	PDR Max		
Antidepressant	Desipramine Hcl	Norpramin, Thsc Desipramine Hcl	150	150	300	FDA (Y)	PDR Max		
Antidepressant	Desvenlafaxine Succinate	Pristiq	400	400	400	FDA (A)	PDR RANGE		
Antidepressant	Doxepin Hcl	Prudoxin, Zonalon, Adapin, Sinequan	300	300	300	FDA (A)	PDR RANGE		
Antidepressant	Duloxetine Hcl	Cymbalta	120	120	120	FDA (A)	PDR MAX		
Antidepressant	Escitalopram Oxalate	Lexapro	20	20	20	FDA (Y)	PDR MAX		
Antidepressant	Fluoxetine Hcl	Prozac, Rapiflux	60	60	80	FDA (Y)	PDR MAX		
Antidepressant	FLUoxetine HCl (PMDD)	Sarafem, Selfemra	60	60	80	FDA (Y)	PDR MAX		
Antidepressant	Fluvoxamine Maleate	Luvox	300	300	300	FDA (A)	PDR MAX		
Antidepressant	Imipramine Hcl	Tofranil	100	100	200	FDA (Y)	PDR MAX OUTPATIENT		
Antidepressant	Isocarboxazid	Marplan	60	60	60	FDA (A)	PDR MAX		
Antidepressant	Maprotiline Hcl	Ludiomil	150	150	150	FDA (A)	PDR MAX OUTPATIENT		
Antidepressant	Milnacipran	Savella	200	200	200	FDA (A)	PDR MAX		
Antidepressant	Mirtazapine	Remeron	30	30	45	TEXT	PDR MAX		

KEY

FDA (A): FDA recommended maximum dose for adults
 FDA (A)-W: FDA weight-based maximum dose for adults
 FDA (Y): FDA recommended maximum dose for youth
 FDA (Y)-W: FDA weight-based recommended dose
 PDR: PDR maximum dose
 PDR MAX: PDR maximum dose
 PDR MAX OUTPATIENT: PDR maximum dose for outpatient

PDR RANGE: Upper bound of PDR range
 PDR RECOMMENDED: PDR recommended dose
 PORT: PORT maximum dose
 PORT ACUTE: PORT maximum acute dose
 PORT RANGE: Upper bound of PORT range
 TEXAS: Psychotropic Medication Utilization Parameters for Texas Foster Care
 TEXT: Textbook
 TEXT-W: Textbook weight-based recommended dose

Drug Class	Drug Name	Drug Brand Name	Dose Age < 13	Dose Age 13-17	Dose Age >= 18	Dose Decision Source C/A	Dose Decision Source Adults	CM Risk Youth	CM Risk Adults
Antidepressant	Nefazodone Hcl	Serzone	600	600	600	FDA (A)	PDR MAX		
Antidepressant	Nortriptyline Hcl	Aventyl, Pamelor	50	50	150	FDA (Y)	PDR MAX		
Antidepressant	Paroxetine Hcl	Paxil	40	40	60	TEXAS*	PDR MAX		
Antidepressant	Paroxetine Hcl	Paxil Cr	37.5	37.5	75	TEXAS*	PDR MAX		
Antidepressant	Phenelzine Sulfate	Nardil	90	90	90	FDA (A)	PDR RANGE		
Antidepressant	Protriptyline Hcl	Vivactil	60	60	60	FDA (A)	PDR MAX		
Antidepressant	Selegiline	Emsam	12	12	12	FDA (A)	PDR MAX		
Antidepressant	Sertraline Hcl	Zoloft	200	200	200	FDA (Y)	PDR MAX		
Antidepressant	Tranylcypromine Sulfate	Parnate	60	60	60	FDA (A)	PDR MAX		
Antidepressant	Trazodone Hcl	Desyrel, Oleptro	200	200	400	TEXT	PDR MAX OUTPATIENT		
Antidepressant	Trimipramine Maleate	Surmontil	100	100	200	FDA (Y)	PDR MAX		
Antidepressant	Venlafaxine Hcl	Effexor	120	210	375	TEXT	PDR MAX		
Antidepressant	Venlafaxine Hcl (Effexor XR)	Effexor Xr	120	210	375	TEXT	PDR MAX		
Anxiolytic	Alprazolam	Niravam, Xanax	4	4	4	TEXT	PDR MAX		
Anxiolytic	Buspirone Hcl	Buspar, Vanspar	60	60	60	TEXT	PDR MAX		
Anxiolytic	Chloral Hydrate	Aquachloral, Noctec, Somnote	1500	1500	2000	FDA (Y)	PDR MAX		

* According to the Psychotropic Medication Utilization Parameters for Texas Foster Care, paroxetine is not recommended for children due to the risk of suicidality.

KEY

FDA (A): FDA recommended maximum dose for adults
 FDA (A)-W: FDA weight-based maximum dose for adults
 FDA (Y): FDA recommended maximum dose for youth
 FDA (Y)-W: FDA weight-based recommended dose
 PDR: PDR maximum dose
 PDR MAX: PDR maximum dose
 PDR MAX OUTPATIENT: PDR maximum dose for outpatient

PDR RANGE: Upper bound of PDR range
 PDR RECOMMENDED: PDR recommended dose
 PORT: PORT maximum dose
 PORT ACUTE: PORT maximum acute dose
 PORT RANGE: Upper bound of PORT range
 TEXAS: Psychotropic Medication Utilization Parameters for Texas Foster Care
 TEXT: Textbook
 TEXT-W: Textbook weight-based recommended dose

Drug Class	Drug Name	Drug Brand Name	Dose Age < 13	Dose Age 13-17	Dose Age >= 18	Dose Decision Source C/A	Dose Decision Source Adults	CM Risk Youth	CM Risk Adults
Anxiolytic	Chlordiazepoxide Hcl	Calmium, Chlordiazep, H-Tran, Librium, Lipoxide, Spaz-5, Mitran	30	30	100	FDA (Y)	PDR MAX		
Anxiolytic	Chlordiazepoxide-Amitriptyline	Limbitrol	60-148	60-149	60-150	FDA (A)	PDR MAX		
Anxiolytic	Chlordiazepoxide-Methscopol	Librax	40-20	40-20	40-20	FDA (A)	PDR MAX		
Anxiolytic	Clonazepam	Ceberclon, Klonopin	3	3	4	TEXT	PDR MAX		
Anxiolytic	Clorazepate Dipotassium	Gen-Xene, Tranxene Sd, Tranxene-T	60	60	60	FDA (A)	PDR Max		
Anxiolytic	Diazepam	D-Val, Di-Tran, Diastat, Valium, Valrelease, Zetran	10	10	40	FDA (Y)	PDR RANGE		
Anxiolytic	Estazolam	Prosom	2	2	2	FDA (A)	PDR MAX		
Anxiolytic	Eszopiclone	Lunesta	3	3	3	FDA (A)	PDR MAX		
Anxiolytic	Flurazepam Hcl	Dalmane, Flurazepam	30	30	30	FDA (A)	PDR RANGE		

KEY

FDA (A): FDA recommended maximum dose for adults
 FDA (A)-W: FDA weight-based maximum dose for adults
 FDA (Y): FDA recommended maximum dose for youth
 FDA (Y)-W: FDA weight-based recommended dose
 PDR: PDR maximum dose
 PDR MAX: PDR maximum dose
 PDR MAX OUTPATIENT: PDR maximum dose for outpatient

PDR RANGE: Upper bound of PDR range
 PDR RECOMMENDED: PDR recommended dose
 PORT: PORT maximum dose
 PORT ACUTE: PORT maximum acute dose
 PORT RANGE: Upper bound of PORT range
 TEXAS: Psychotropic Medication Utilization Parameters for Texas Foster Care
 TEXT: Textbook
 TEXT-W: Textbook weight-based recommended dose

Drug Class	Drug Name	Drug Brand Name	Dose Age < 13	Dose Age 13-17	Dose Age >= 18	Dose Decision Source C/A	Dose Decision Source Adults	CM Risk Youth	CM Risk Adults
Anxiolytic	Hydroxyzine Hcl	Atarax, Atazine, Neucalm, Qys, Rezine, Vistacon, Vistacot, Vistaject, Vistaril	100	100	400	FDA (Y)	PDR MAX		
Anxiolytic	Lorazepam	Ativan, Lorazepam,	4	4	6	FDA (Y)/TEXT	PDR MAX		
Anxiolytic	Meprobamate	Equanil, Miltown, Meprospan	1800	1800	2400	FDA (Y)	PDR MAX		
Anxiolytic	Meprobamate-Aspirin	Equagesic, Micrainin	800-2600	800-2600	1600-2600	FDA (Y)	PDR MAX		
Anxiolytic	Oxazepam	Oxazepam, Serax	120	120	120	FDA (A)	PDR RANGE		
Anxiolytic	Phenobarbital	Aspirbar, Solfoton	240	400	400	FDA (Y)-W	PDR MAX		

KEY

FDA (A): FDA recommended maximum dose for adults
 FDA (A)-W: FDA weight-based maximum dose for adults
 FDA (Y): FDA recommended maximum dose for youth
 FDA (Y)-W: FDA weight-based recommended dose
 PDR: PDR maximum dose
 PDR MAX: PDR maximum dose
 PDR MAX OUTPATIENT: PDR maximum dose for outpatient

PDR RANGE: Upper bound of PDR range
 PDR RECOMMENDED: PDR recommended dose
 PORT: PORT maximum dose
 PORT ACUTE: PORT maximum acute dose
 PORT RANGE: Upper bound of PORT range
 TEXAS: Psychotropic Medication Utilization Parameters for Texas Foster Care
 TEXT: Textbook
 TEXT-W: Textbook weight-based recommended dose

Drug Class	Drug Name	Drug Brand Name	Dose Age < 13	Dose Age 13-17	Dose Age >= 18	Dose Decision Source C/A	Dose Decision Source Adults	CM Risk Youth	CM Risk Adults
Anxiolytic	Phenobarbital-Belladonna Alk	Atrotal, Barbidonna, Barophen, Bellalphen, Bellatal, Donnaphen, Donnapipe, Donnatal, Haponal, Hyonatal, Hyoscamine, Malatal, Phenobel, Setamine, Spasmolin, Spastemms, Spastolate	240	400	400	FDA (Y)-W	PDR MAX		
Anxiolytic	Ramelteon	Rozerem	8	8	8	FDA (A)	PDR MAX		
Anxiolytic	Secobarbital Sodium	Lanabarb, Seconal	100	100	100	FDA (Y)	PDR MAX		
Anxiolytic	Temazepam	Temazepam	30	30	30	FDA (A)	PDR RANGE		
Anxiolytic	Triazolam	Halcion	0.5	0.5	0.5	FDA (A)	PDR MAX		
Anxiolytic	Zaleplon	Sonata	20	20	20	FDA (A)	PDR MAX		
Anxiolytic	Zolpidem Tartrate	Ambien, Edluar	10	10	10	FDA (A)	PDR RANGE		
Anxiolytic	Zolpidem Tartrate CR	Ambien Cr	12.5	12.5	12.5	FDA (A)	PDR RANGE		

KEY

FDA (A): FDA recommended maximum dose for adults
 FDA (A)-W: FDA weight-based maximum dose for adults
 FDA (Y): FDA recommended maximum dose for youth
 FDA (Y)-W: FDA weight-based recommended dose
 PDR: PDR maximum dose
 PDR MAX: PDR maximum dose
 PDR MAX OUTPATIENT: PDR maximum dose for outpatient

PDR RANGE: Upper bound of PDR range
 PDR RECOMMENDED: PDR recommended dose
 PORT: PORT maximum dose
 PORT ACUTE: PORT maximum acute dose
 PORT RANGE: Upper bound of PORT range
 TEXAS: Psychotropic Medication Utilization Parameters for Texas Foster Care
 TEXT: Textbook
 TEXT-W: Textbook weight-based recommended dose

Drug Class	Drug Name	Drug Brand Name	Dose Age < 13	Dose Age 13-17	Dose Age >= 18	Dose Decision Source C/A	Dose Decision Source Adults	CM Risk Youth	CM Risk Adults
Mood Stabilizer	Carbamazepine	Atretol, Carbatrol, Epitol, Tegretol, Tegretol Xr	800	1000	1200	FDA (Y)	PDR MAX		
Mood Stabilizer	Divalproex Sodium	Depakote	2400	4200	4200	FDA (Y)-W	PDR MAX		
Mood Stabilizer	Gabapentin	Gabarone, Neurontin	1200	3600	3600	TEXT	PDR MAX		
Mood Stabilizer	Lamotrigine	Lamictal	300	300	400	TEXT	PDR RANGE		
Mood Stabilizer	Lithium Carbonate	Eskalith, Lithobid, Lithonate	1200	1800	1800	FDA (Y)/TEXT-W	PDR MAX		
Mood Stabilizer	Oxcarbazepine	Trileptal	2100	2100	2400	TEXT	PDR MAX		
Mood Stabilizer	Topiramate	Topamax, Topiragen	400	400	1600	TEXT	PDR MAX		
Mood Stabilizer	Valproic Acid	Depakene, Stavzor	2400	4200	4200	FDA (Y)-W	PDR MAX		
ADHD Med	Amphetamine-Dextroamphetamine	Adderall	40	40	60	FDA (Y)	PDR MAX		
ADHD Med	Amphetamine-Dextroamphetamine XR	Adderall Xr	30	30	60	FDA (Y)	PDR MAX		
ADHD Med	Armodafinil	Nuvigil	250	250	250	FDA (A)	PDR RANGE		
ADHD Med	Atomoxetine Hcl	Strattera	56	100	100	FDA (Y) - W	PDR MAX		
ADHD Med	Clonidine Hcl	Catapres	0.4	0.4	NR	TEXAS	PDR MAX		
ADHD Med	Clonidine Hcl	Kapvay	0.4	0.4	0.4	TEXAS	PDR MAX		

KEY

FDA (A): FDA recommended maximum dose for adults
 FDA (A)-W: FDA weight-based maximum dose for adults
 FDA (Y): FDA recommended maximum dose for youth
 FDA (Y)-W: FDA weight-based recommended dose
 PDR: PDR maximum dose
 PDR MAX: PDR maximum dose
 PDR MAX OUTPATIENT: PDR maximum dose for outpatient

PDR RANGE: Upper bound of PDR range
 PDR RECOMMENDED: PDR recommended dose
 PORT: PORT maximum dose
 PORT ACUTE: PORT maximum acute dose
 PORT RANGE: Upper bound of PORT range
 TEXAS: Psychotropic Medication Utilization Parameters for Texas Foster Care
 TEXT: Textbook
 TEXT-W: Textbook weight-based recommended dose

Drug Class	Drug Name	Drug Brand Name	Dose Age < 13	Dose Age 13-17	Dose Age >= 18	Dose Decision Source C/A	Dose Decision Source Adults	CM Risk Youth	CM Risk Adults
ADHD Med	CloNIDine HCl (Analgesia)	Catapres	0.4	0.4	NR	TEXAS	PDR MAX		
ADHD Med	Dexmethylphenidate Hcl	Focalin	20	20	20	FDA (Y)	PDR Max		
ADHD Med	Dexmethylphenidate Hcl (Focalin XR)	Focalin Xr	30	30	40	FDA (Y)	PDR Max		
ADHD Med	Dextroamphetamine Sulfate	Das, Dexedrine, Dextrostat, Liquadd, Procentra	40	40	60	FDA (Y)	PDR Max		
ADHD Med	Guanfacine Hcl	Intuniv, Tenex	4	4	NR	FDA(A)			
ADHD Med	Guanfacine Hcl	Intuniv, Tenex	4	4	4	FDA (Y)	FDA(Y)		
ADHD Med	Lisdexamfetamine Dimesylate	Vyvanse	70	70	70	FDA (Y)	PDR MAX		
ADHD Med	Methamphetamine Hcl	Desoxyn	25	25	25	FDA (Y)	PDR RANGE		
ADHD Med	Methylphenidate Hcl	Metadate Cd, Methylin, Ritalin	60	60	60	FDA (Y)	PDR MAX		
ADHD Med	Methylphenidate Hcl (Concerta)	Concerta	54	72	72	FDA (Y)	PDR MAX		
ADHD Med	Modafinil	Provigil	400	400	400	FDA (A)	PDR RECOMMENDED		

KEY

FDA (A): FDA recommended maximum dose for adults
 FDA (A)-W: FDA weight-based maximum dose for adults
 FDA (Y): FDA recommended maximum dose for youth
 FDA (Y)-W: FDA weight-based recommended dose
 PDR: PDR maximum dose
 PDR MAX: PDR maximum dose
 PDR MAX OUTPATIENT: PDR maximum dose for outpatient

PDR RANGE: Upper bound of PDR range
 PDR RECOMMENDED: PDR recommended dose
 PORT: PORT maximum dose
 PORT ACUTE: PORT maximum acute dose
 PORT RANGE: Upper bound of PORT range
 TEXAS: Psychotropic Medication Utilization Parameters for Texas Foster Care
 TEXT: Textbook
 TEXT-W: Textbook weight-based recommended dose

Drug Class	Drug Name	Drug Brand Name	Dose Age < 13	Dose Age 13-17	Dose Age >= 18	Dose Decision Source C/A	Dose Decision Source Adults	CM Risk Youth	CM Risk Adults
ADHD Med	Phentermine Hcl	Adipex, Atti-Plex, Fastin, Obe-Mar, Obenix, Obephen, Panshape M, Phentercot, Phentride, Zantryl	37.5	37.5	37.5	FDA (A)	PDR RANGE		

KEY

FDA (A): FDA recommended maximum dose for adults
 FDA (A)-W: FDA weight-based maximum dose for adults
 FDA (Y): FDA recommended maximum dose for youth
 FDA (Y)-W: FDA weight-based recommended dose
 PDR: PDR maximum dose
 PDR MAX: PDR maximum dose
 PDR MAX OUTPATIENT: PDR maximum dose for outpatient

PDR RANGE: Upper bound of PDR range
 PDR RECOMMENDED: PDR recommended dose
 PORT: PORT maximum dose
 PORT ACUTE: PORT maximum acute dose
 PORT RANGE: Upper bound of PORT range
 TEXAS: Psychotropic Medication Utilization Parameters for Texas Foster Care
 TEXT: Textbook
 TEXT-W: Textbook weight-based recommended dose